


DEAD AIR SILENCERS

ACCESSORY FITMENT GUIDE

Thank you to all of our loyal customers. This guide is here to help familiarize you with the available accessories compatible with your silencer.

While we try to be as thorough as possible, we are always here ready to help. If you require further information or clarification don't hesitate to give us a call at 801-857-4232, or email info@deadairsilencers.com

DEAD AIR silencers

Rev 072326

SUPPRESSOR FIREARM APPLICATION & RECOMMENDED MINIMUM BARREL LENGTH


* = OPTIMIZED: Silencer is optimized for the caliber, not optimized for the barrel length restrictions. Silencer will perform best with barrels designed for full powder burn.

SUPPRESSOR MODEL			HANDGUN			AR-15/SEMI AUTO	
	Rimfire	5.7mm	.45 ACP	9mm	PCC Sub-Gun 9mm	5.56/.223	6mm ARC
Mask	* None	None					
RXD22Ti	* None	None					
RXD910Ti		None		* None	None		
Mojave 9		None		* None	None		
Mojave 45			* None	None	None		
Wolfman		None		None	* None	None	
Sierra5		None				* None	
Lazarus 6		None				* None	None
CT5P		None				* None	None
Sandman X						None	None
Nomad 30						None	None
Nomad L						None	None
Nomad Ti XC						12.5”	12.5”
Nomad LTi XC						12.5”	12.5”
Nomad Ti OTB						12.5”	12.5”
RXD30Ti						12.5”	12.5”
Wolverine						None	None
Primal			None	None	None	None	None
Nomax 33						None	None

AR-15/SEMI AUTO	AK TYPE	AR-10	BOLT ACTION (HUNTING/PRS)			
.300 BLK	7.62x39	.308/6.5CM	Up to 300 RUM	Up to .338 Lapua	8.6 BLK	Big Bore up to .458 Cal
None						
None						
8” (subs)						
None	None					
None	None	* None	None			
None	None	* None	None			
None	None	None	* None			
6” (subs)	12.5”	12.5”	* 12.5”			
6” (subs)	12.5”	12.5”	* 12.5”			
6” (subs)	12.5”	12.5”	* 16”			
6” (subs)	12.5”	12.5”	* 20”			
None	* None	None	None			
None	None	None	None	None	8”	* None
None	None	None	* None	* 18”	None	

Model Name	Materials	Length/Weight	Full Auto Rated	Bore Caliber
Mask	17-4 PH Stainless Steel Baffles, Titanium 3Al-2.5V Grade 9 Tube	5.1"/6.6oz	Y	.22 Caliber
RXD22Ti	6AL4V Titanium, 17-4 Stainless Steel	5.6"/5.6oz (w/XRF Muzzle Device)	Y (caliber specific)	.22 Caliber
RXD910Ti	6AL-4V DMLS Titanium, 7075 Aluminum, Stainless Steel	7.7"/11.4oz (w/piston assembly)	Y (caliber specific)	10mm
Mojave 9	6AL-4V DMLS Titanium, 7075 Aluminum, Stainless Steel	5.89"/8.2oz 7.64"/9.6oz	Y (caliber specific)	9mm
Mojave 45	6AL-4V DMLS Titanium, 7075 Aluminum, Stainless Steel	6.812"/10.44oz 8.6"/12.7	Y (caliber specific)	45ACP
Wolfman	17-4 PH Stainless Steel Fully-Welded Construction	5.13"/9.8oz 9.8"/14.4oz	Y	9mm
Sierra 5	Cobalt 6 Baffles, 17-4PH Stainless Steel Welded Core, Stainless Steel Tube	Xeno: 5.7"/13.3oz KeyMo: 6.2"/15.4oz	Y	.22 Caliber
Lazarus 6	Haynes 282	Xeno: 5.89"/16.5oz KeyMo: 6.4"/18.4oz	Y	6mm
CT5P	Haynes 282	DT: 5.49"/13.7oz Xeno: 5.89"/14.3oz KeyMo: 6.55"/14.9oz	Y	6mm
Sandman X	Haynes 282	Xeno: 6.4"/14.5oz KeyMo: 6.9"/16.8oz	Y	.30 Caliber
Nomad 30	17-4 PH Stainless Steel Fully Welded Construction	6.5"/14.5oz	Y	.30 Caliber
Nomad L		8.4"/18.3oz		
Nomad Ti XC	Grade 5 6AL-4V Titanium	6.74"/9.6oz	N	.30 Caliber
Nomad LTi XC		8.8"/12.2oz		
Nomad Ti OTB		7.65"/10.5oz		
RXD30Ti	Grade 5 6AL-4V Titanium	7.34"/12.4oz (w/Direct Thread Brake Mount)	N	.30 Caliber
Wolverine	Cobalt 6 Baffles, 17-4 PH Stainless Steel Welded Core, Stainless Steel Tube	7.4"/19.8-24.04oz	Y	.30 Caliber
Primal	17-4 PH Stainless Steel Fully Welded Construction	7.9"/16.5oz	Y	.458 Caliber
Nomax 33	Grade 5 6Al-4V Titanium	9.6"/15.4oz	N	.33

Max Muzzle Energy (ft-lbs)	Caliber Rating	Accesories Included
850	.22LR, 22MAG, 17HMR, 17WSM to 5.7x28	1/2-28 Direct Thread Mount, Front Cap Tool
850	.22LR, 22MAG, 17HMR, 17WSM to 5.7x28	1/2"-28 XRF Muzzle Brake, RXD22Ti Wrench Kit
1900	5.7x28mm, 9mm, .38 Special, .357 Magnum, 10mm AUTO, .40S&W, .300 Blackout, 400 Legend	PB440 1/2"-28 Piston, TL Tool
1900	**Full-Auto:** 9mm, 300BLK Subsonic **Semi-Auto:** 350 Legend, 300BLK Supersonic, , .338 ARC	1/2-28 Piston
1900	**Full-Auto:** Pistol calibers up to 45 AUTO, 300BLK Sub w/8"barrel **Semi-Auto:** 300BLK supersonic, 350 Legend, 400 Legend subsonic, 450 Bushmaster subsonic. .357 Mag & .44 Mag lever-actions with 16" barrel	.578-28 Mojave Piston
2000	.380, .38 Special, 357 Mag, 9mm, .300BLK, 7.62x39, 9x39, .350 Legend, 5.56/.223, .338 ARC	DA410 Direct Thread 1/2-28 Mount, Front Cap Tool, TL Tool
2200	5.56/.223, .224 Valkyrie	Xeno: DA121 1/2-28 Xeno FH, TL Tool
		KeyMo: DA301 1/2-28 KeyMo FH, TL Tool
2200	6mm, 5.56/.223	Xeno: DA121 1/2-28 Xeno FH & DA455 Xeno Adapter, TL Tool
		KeyMo: DA115 1/2-28 KeyMicro FH & KeyMo Adapter, TL Tool
2200	6mm, 5.56/.223	Direct Thread: Fixed 1/2-28 or 5/8-24 Direct Thread Mount
		Xeno: DA129GOV 1/2-28 3-Prong Flash Hider, TL Tool
		KeyMo: DA115GOV 1/2-28 KeyMicro GOV Flash Hider, TL Tool
4200	Up to 300 RUM	Xeno: DA130, 5/8-24, 3 Prong Flash HIder, TL Tool
		KeyMo: DA116, 5/8-24, 3-Prong Flash Hider, TL Tool
4400	Up to 300 RUM	LT302 5/8-24 Direct Thread Mount, TL Tool
4400	Up to 300 RUM	Xeno: DA124 5/8-24 Omni Brake & DA455 Xeno Adapter Direct Thread: LT302 5/8-24 Direct Thread Mount, TL Tool
		DA124 5/8-24 Omni Brake & DA455 Xeno Adapter, TL Tool
		DA870 5/8-24 Xeno Radial Brake, OTB Wrench
4400	Up to 300 RUM	DTB324 5/8-24 Direct Thread Brake Mount, RXD30Ti Wrench Kit
4200	Up to 300 RUM	WV200 14x1LH Insert & Collar, Wolverine Wrench
5100	.458 Caliber -energies up to .338 Lapua	LT302 5/8x-24 Direct Thread Mount, SD502 Hub to P-series Adapter, TL Tools
6800	Up to .33XC	DA150 5/8-24 Xemax Muzzle Brake & DA456HT Xemax Adapter, TL Tool




MASK

BORE	.22 Caliber
RATING	Rimfire, 5.7x28, .22 Hornet, .17 Hornet
DIMENSIONS	5.1" x 1.07"
WEIGHT	6.6 oz
MATERIALS	Titanium, Stainless Steel

MUZZLE ACCESSORIES	
DA423	1/2-28 Spacer
DA424	Thread Protector, 1/2-28
THREAD ADAPTERS	
DA419	Walther P22 to 1/2-28
DA420	SIG Mosquito to 1/2-28
DA421	GSG 1911 to 1/2-28
DA422	FN 5.7 to 1/2-28

Learn more about the Mask-HD ➔

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***




RXD 22Ti

BORE	.22 Caliber
RATING	.22LR, 22Mag, 17HMR, 17WSM, 4.6mm, 5.7x28mm* **Some platform/ammunition combinations may present performance issues which could impact accuracy or damage your suppressor. See instructions for more detail.*
DIMENSIONS	5.6" x 1.1"
WEIGHT	5.6 oz (with XRF muzzle device) 4.6 oz (no muzzle device)
MATERIALS	Titanium, Stainless Steel

ADAPTERS & MOUNTS	
RXD674	1/2-28 XRF Rimfire Muzzle Brake
RXD675	M10x1RH Rimfire Muzzle Brake

Learn more about the RXD22Ti ➔

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***




RXD 910Ti

BORE	10mm
RATING	9mm, 10mm
DIMENSIONS	7.7" x 1.48"
WEIGHT	11.4 oz
MATERIALS	6AL-4V DMLS Ti, 7075 Alum, Stainless Steel

R-SERIES FRONT CAPS & ACCESSORIES	
DA208	R-Series MK2 Front Cap Tool
DA204	R-Series Front Cap 7.62
DA213A	R-Series Front Cap .33 Cal
DA209A	R-Series Front Cap Nomad .30 Cal Black
DA207	R-Series Flash Hider Front Cap 7.62
SD501	Wipe Cap, 9mm Bore
RXD207	RXD R-Series Front Cap 7.62
RXD683	RXD R-Series Front Cap 9MM-10MM
KEYMICRO ADAPTER & MOUNTS	
DA451	KeyMicro Adapter for P-Series (Ghost-M / Wolf 9SD / Wolfman)
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115GOV	KeyMicro GOV Flash Hider 1/2-28 9MM, 17-4
DA116GOV	KeyMicro GOV Flash Hider 5/8-24 9MM, 17-4
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA117	KeyMicro FH M13.5x1LH, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore
XENO™ ADAPTER & MOUNTS	
DA457	Xeno™ Adapter (P-Series)
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ P-Series Wee Brake, M13.5x1LH, 9mm Bore
DA870	Xeno™ Radial Brake, 5/8-24, .30 Cal Bore
DA124	Xeno™ A1 Omni Brake 5/8-24, .30 Bore
DA139	Xeno™ A1 Omni Brake M14x1RH, .30 Bore
DA127	Xeno™ Xero P-Series, 1/2-28, 9mm Bore
DA128	Xeno™ Xero P-Series, 5/8-24, .45 Bore
DA143	Xeno™ Xero P-Series, 9/16-24 RH, 9mm Bore
DA144	Xeno™ Xero P-Series, .578-28, .45 Bore
DA146	Xeno™ Xero P-Series, 5/8-32, .45 Bore
DA147	Xeno™ Xero P-Series, 11/16-24, .45 Bore
RXD689	RXD Xeno™ P-Series BirdCage FH .578-28, .45
RXD687	RXD Xeno™ P-Series BirdCage FH 1/2-28, 9mm
RXD688	RXD Xeno™ P-Series BirdCage FH 5/8-24, 10mm

KEYMO® FLASH HIDERS	
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA322	KeyMo® Zero .578-28, .45 Bore
DA323	KeyMo® Zero 9/16-24RH, 9mm Bore
DA324	KeyMo® Zero 11/16-24, .45 Bore
P-SERIES FIXED MOUNTS	
DA410	P-Series DT Adapter, 1/2-28, Shoulder
DA411	P-Series DT Adapter, 1/2-36, Shoulder
DA412	P-Series DT Adapter, 5/8-24, Shoulder
DA413	P-Series DT Adapter, M18x1
DA414	P-Series DT Adapter, M13.5x1LH, 9mm Bore, SIG Taper
DA450	P-Series DT Adapter, .578-28, .45 Bore
PISTONS	
PB440	Mojave Piston 1/2-28, 9mm Bore
PB441	Mojave Piston M13.5x1LH, 9mm Bore
PB442	Mojave Piston 9/16-24, .40 Bore
PB443	Mojave Piston M14.5x1LH, .40 Bore
P-SERIES ACCESSORIES	
DA444	P-Series 3 Lug
PB500	Mojave Booster Assembly
PB139	Mojave Fixed Barrel Spacer
DA013	Piston Spring for Ghost, Odessa, Mojave 9

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***



MOJAVE 9™

BORE	9mm
RATING	9mm, 300BLK Subsonic (full-auto) 350 Legend, 300BLK Supersonic (semi-auto)
DIMENSIONS	7.64" x 1.405" (Long) / 5.89" x 1.405" (Short)
WEIGHT	9.6 oz (Long) / 8.2 oz (Short)
MATERIALS	6AL-4V DMLS Ti, 7075 Alum, Stainless Steel


MOJAVE 9™

Learn more about the Mojave 9 ➔

KEYMO® KEYMICRO ADAPTER & MOUNTS	
DA451	KeyMicro Adapter for P-Series (Ghost-M / Wolf 9SD / Wolfman)
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA323	KeyMo® Zero 9/16-24RH, 9mm Bore
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115GOV	KeyMicro GOV Flash Hider 1/2-28 9MM, 17-4
DA116GOV	KeyMicro GOV Flash Hider 5/8-24 9MM, 17-4
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA117	KeyMicro FH M13.5x1LH, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore
XENO™ ADAPTER & MOUNTS	
DA457	Xeno™ Adapter (P-Series)
DA127	Xeno™ Xero, 1/2-28, 9mm Bore
DA128	Xeno™ Xero, 5/8-24, .45 Bore
DA143	Xeno™ Xero, 9/16-24 RH, 9mm Bore
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ P-Series Wee Brake, M13.5x1LH, 9mm Bore
RXD687	RXD Xeno™ P-Series Bird Cage FH 1/2-28 Blk
RXD688	RXD Xeno™ P-Series Bird Cage FH 5/8-24 Blk

P-SERIES FIXED MOUNTS	
DA410	P-Series DT Adapter, 1/2-28, Shoulder
DA411	P-Series DT Adapter, 1/2-36, Shoulder
DA412	P-Series DT Adapter, 5/8-24, Shoulder
DA413	P-Series DT Adapter, M18x1
DA414	P-Series DT Adapter, M13.5x1LH, 9mm Bore, SIG Taper
DA450	P-Series DT Adapter, .578-28, .45 Bore
MOJAVE 9 PISTONS	
PB440	Mojave Piston 1/2-28, 9mm Bore
PB441	Mojave Piston M13.5x1LH, 9mm Bore
P-SERIES ACCESSORIES	
DA444	P-Series 3 Lug
MOJAVE ACCESSORIES	
PB500	Mojave Booster Assembly
PB144	Mojave 9 Front Cap, 9mm Bore
DM3000	P-Series Front Cap Tool
PB139	Mojave Fixed Barrel Spacer
DA013	Piston Spring for Ghost, Odessa, Mojave 9

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***



MOJAVE 45™

BORE	.45
RATING	Full-Auto: Pistol calibers up to 45 AUTO (no barrel length restrictions) 300 BLK subsonic with 8“ barrel Semi-Auto: 300 BLK supersonic, 350 Legend, 400 Legend subsonic, 450 Bushmaster subsonic. .357 Mag & .44 Mag lever-actions with 16” barrel.
DIMENSIONS	8.6” x 1.48“ (Long) / 6.812” x 1.48” (Short)
WEIGHT	12.7 oz (Long) / 10.44 oz (Short)
MATERIALS	6AL-4V DMLS Ti, 7075 Alum, Stainless Steel

MOJAVE 45™

Learn more about the Mojave 45 ➔

KEYMICRO ADAPTER & MOUNTS	
DA451	KeyMicro Adapter, P-Series (Ghost-M / Wolf 9SD / Wolfman)
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA322	KeyMo® Zero .578-28, .45 Bore
DA323	KeyMo® Zero 9/16-24RH, 9mm Bore
DA324	KeyMo® Zero 11/16-24, .45 Bore
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115GOV	KeyMicro GOV Flash Hider 1/2-28 9MM, 17-4
DA116GOV	KeyMicro GOV Flash Hider 5/8-24 9MM, 17-4
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA117	KeyMicro FH M13.5x1LH, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore
XENO™ ADAPTER & MOUNTS	
DA457	Xeno™ Adapter (P-Series)
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ P-Series Wee Brake, M13.5x1LH, 9mm Bore
DA127	Xeno™ Xero P-Series, 1/2-28, 9mm Bore
DA128	Xeno™ Xero P-Series, 5/8-24, .45 Bore
DA143	Xeno™ Xero P-Series, 9/16-24 RH, 9mm Bore
DA144	Xeno™ Xero P-Series, .578-28, .45 Bore
DA146	Xeno™ Xero P-Series, 5/8-32, .45 Bore
DA147	Xeno™ Xero P-Series, 11/16-24, .45 Bore
RXD687	RXD Xeno™ P-Series BirdCage FH, 1/2-28
RXD688	RXD Xeno™ P-Series BirdCage FH, 5/8-24
RXD689	RXD Xeno™ P-Series BirdCage FH, .578-28

P-SERIES FIXED MOUNTS	
DA410	P-Series DT Adapter, 1/2-28, Shoulder
DA411	P-Series DT Adapter, 1/2-36, Shoulder
DA412	P-Series DT Adapter, 5/8-24, Shoulder
DA413	P-Series DT Adapter, M18x1
DA414	P-Series DT Adapter, M13.5x1LH, 9mm Bore, SIG Taper
DA450	P-Series DT Adapter, .578-28, .45 Bore
MOJAVE 9 PISTONS	
PB440	Mojave Piston 1/2-28, 9mm Bore
PB441	Mojave Piston M13.5x1LH, 9mm Bore
PB442	Mojave Piston 9/16-24, .40 Cal Bore
PB443	Mojave Piston M14.5x1LH, .40 Cal Bore
PB444	Mojave Piston .578x28, .45 Cal Bore
PB445	Mojave Piston M16x1LH, .45 Cal Bore
PB446	Mojave Piston M16X1RH, .45 Cal Bore
P-SERIES ACCESSORIES	
DA444	P-Series 3 Lug
MOJAVE ACCESSORIES	
PB500	Mojave Booster Assembly
PB144	Mojave 9 Front Cap, 9mm Bore
PB145	Mojave 45 Front Cap, .45 Cal Bore
DM3000	P-Series Front Cap Tool
PB139	Mojave Fixed Barrel Spacer
DA013	Piston Spring for Ghost, Odessa, Mojave 9

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***



WOLFMAN

BORE	9mm
RATING	9mm, 5.56, .300BLK, 7.62x39
DIMENSIONS	7.8" x 1.618" (Long) / 5.5" x 1.618" (Short)
WEIGHT	15.4 oz (Long) / 11 oz (Short)
MATERIALS	17-4 Stainless Steel


WOLFMAN

Learn more about the Wolfman ➔

R-SERIES FRONT CAPS & ACCESSORIES	
DA208	R-Series MK2 Front Cap Tool
DA201	R-Series Front Cap 5.56
DA204	R-Series Front Cap 7.62
DA205	R-Series Front Cap 6.5mm
DA213A	R-Series Front Cap .33 Cal
DA206	R-Series Flash Hider Front Cap 5.56
DA207	R-Series Flash Hider Front Cap 7.62
SD501	Wipe Cap, 9mm Bore
RXD206	RXD R-Series Front Cap 5.56
RXD207	RXD R-Series Front Cap 7.62
RXD683	RXD R-Series Front Cap 9MM-10MM
KEYMICRO ADAPTER & MOUNTS	
DA451	KeyMicro Adapter for P-Series (Ghost-M / Wolf 9SD / Wolfman)
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115GOV	KeyMicro GOV Flash Hider 1/2-28 9MM, 17-4
DA116GOV	KeyMicro GOV Flash Hider 5/8-24 9MM, 17-4
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA117	KeyMicro FH M13.5x1LH, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore
XENO™ ADAPTER & MOUNTS	
DA457	Xeno™ Adapter (P-Series)
DA870	Xeno™ Radial Brake, 5/8-24, .30 Cal Bore
DA123	Xeno™ A1 Omni Brake 1/2-28, .30 Bore
DA124	Xeno™ A1 Omni Brake 5/8-24, .30 Bore
DA139	Xeno™ A1 Omni Brake M14x1RH, .30 Bore
DA146	Xeno™ Xero, 5/8-32, .45 Bore
DA147	Xeno™ Xero, 11/16-24, .45 Bore
DA129GOV	Xeno™ GOV 3-Prong FH, 1/2-28 6MM, 17-4
DA130GOV	Xeno™ GOV 3-Prong FH, 5/8-24 6MM, 17-4
DA129	Xeno™ 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno™ 3-Prong, 5/8-24, 9mm Bore
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ P-Series Wee Brake, M13.5x1LH, 9mm Bore
DA127	Xeno™ Xero P-Series, 1/2-28, 9mm Bore
DA128	Xeno™ Xero P-Series, 5/8-24, .45 Bore
DA143	Xeno™ Xero P-Series, 9/16-24 RH, 9mm Bore
DA144	Xeno™ Xero P-Series, .578-28, .45 Bore
RXD690	RXD Xeno™ BirdCage FH 9/16-24 RH, 6mm
RXD690S	RXD Xeno™ BirdCage FH 9/16-24 RH SS, 6mm
RXD689	RXD Xeno™ P-Series BirdCage FH .578-28, .45
RXD687	RXD Xeno™ P-Series BirdCage FH 1/2-28, 9mm
RXD688	RXD Xeno™ P-Series BirdCage FH 5/8-24, 10mm

KEYMO® FLASH HIDERS	
DA301	KeyMo® Flash Hider 1/2-28, .22 Bore
DA302	KeyMo® Flash Hider 5/8-24, .30 Bore
DA303	KeyMo® Flash Hider M14x1LH, .30 Bore
DA304	KeyMo® Flash Hider M15x1, .30 Bore
DA305	KeyMo® Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo® Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	KeyMo® FH 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo® FH 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo® FH M13x1LH Steyr Aug, .22 Bore
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA323	KeyMo® Zero 9/16-24RH, 9mm Bore
P-SERIES FIXED MOUNTS	
DA410	P-Series DT Adapter, 1/2-28, Shoulder
DA411	P-Series DT Adapter, 1/2-36, Shoulder
DA412	P-Series DT Adapter, 5/8-24, Shoulder
DA413	P-Series DT Adapter, M18x1
DA414	P-Series DT Adapter, M13.5x1LH, 9mm Bore, SIG Taper
P-SERIES PISTONS	
DA401	P-Series Piston 1/2-28, 9mm Bore
DA402	P-Series Piston M13.5x1LH, 9mm Bore
DA403	P-Series Piston 9/16-24, .40 Bore
DA404	P-Series Piston M14.5x1LH, .40 Bore
P-SERIES ACCESSORIES	
DA444	P-Series 3 Lug
SD500	P-Series Booster Assembly
DA409	P-Series Fixed Barrel Spacer
DA013	Piston Spring for Ghost, Odessa, Mojave 9

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***



SIERRA 5

BORE	.22 Caliber
RATING	5.56 NATO, 224 Valkyrie
DIMENSIONS	**SIERRA 5 XENO™** 5.72" x 1.5" (with Xeno™ adapter) **SIERRA 5 KEYMO®** 6.27" x 1.5" (with KeyMo® adapter)
WEIGHT	**SIERRA 5 XENO™** 13.3 oz (with Xeno™ adapter) **SIERRA 5 KEYMO®** 15.4 oz (with KeyMo® adapter)
MATERIALS	Cobalt 6 Baffles, Stainless Steel


SIERRA 5

Learn more about the Sierra 5 ➔

R-SERIES FRONT CAPS & ACCESSORIES	
DA208	R-Series MK2 Front Cap Tool
DA442	Sandman E-Brake, .30 Bore
DA201	R-Series Front Cap 5.56
DA206	R-Series Flash Hider Front Cap 5.56
RXD206	RXD R-Series Front Cap 5.56
KEYMO® / KEYMICRO ADAPTERS & MOUNTS	
DA890GOVHT	KeyMo® GOV HUB Adapter (R-Series). 17-4
DA428	KeyMo® HUB Adapter (R-Series)
DA101	KeyMo® Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo® Muzzle Brake 5/8-24, .30 Bore
DA301GOV	KeyMo® GOV Flash Hider 1/2-28 6MM, 17-4
DA302GOV	KeyMo® GOV Flash Hider 5/8-24 .30 CAL, 17-4
DA301	KeyMo® Flash Hider 1/2-28, .22 Bore
DA302	KeyMo® Flash Hider 5/8-24, .30 Bore
DA303	KeyMo® Flash Hider M14x1LH, .30 Bore
DA307	KeyMo® Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo® Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo® Flash Hider M13x1LH Steyr Aug, .22 Bore
DA305	KeyMo® Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo® Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115GOV	KeyMicro GOV FH 1/2-28, 9mm Bore, 17-4
DA116GOV	KeyMicro GOV FH 5/8-24, 9mm Bore, 17-4
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore

XENO™ / XEMAX™ ADAPTERS & MOUNTS	
DA455	Xeno™ Adapter - HUB (R-Series)
DA455HT	Xeno™ Adapter HUB Taper
DA456HT	Xemax™ Adapter HUB Taper
DA121GOV	Xeno™ GOV A1 FH 1/2-28 .30 Bore, 17-4
DA122GOV	Xeno™ GOV A1 FH 5/8-24 .30 Bore, 17-4
DA121	Xeno™ A1 Flash Hider 1/2-28, .30 Bore
DA122	Xeno™ A1 Flash Hider 5/8-24, .30 Bore
DA123	Xeno™ A1 Omni Brake 1/2-28, .30 Bore
DA124	Xeno™ A1 Omni Brake 5/8-24, .30 Bore
DA139	Xeno™ A1 Omni Brake M14x1RH, .30 Bore
DA870	Xeno™ Radial Brake, 5/8-24, .30 Bore
DA129GOV	Xeno™ GOV 3-Prong FH, 1/2-28 6mm Bore, 17-4
DA130GOV	Xeno™ GOV 3-Prong FH, 5/8-24 9mm Bore, 17-4
DA129	Xeno™ 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno™ 3-Prong, 5/8-24, 9mm Bore
DA127	Xeno™ Xero P-Series, 1/2-28, 9mm Bore
DA128	Xeno™ Xero P-Series, 5/8-24, .45 Bore
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ P-Series Wee Brake, M13.5x1LH, 9mm Bore
RXD684	RXD Xeno™ BirdCage FH 1/2-28
RXD684S	RXD Xeno™ BirdCage FH 1/2-28 Stainless
RXD685	RXD Xeno™ BirdCage FH 5/8-24
RXD685S	RXD Xeno™ BirdCage FH 5/8-24 Stainless
RXD690	RXD Xeno™ BirdCage FH 9/16-24 RH
RXD690S	RXD Xeno™ BirdCage FH 9/16-24 RH Stainless
RXD687	RXD Xeno™ P-Series BirdCage FH 1/2-28
RXD688	RXD Xeno™ P-Series BirdCage FH 5/8-24
RXD689	RXD Xeno™ P-Series BirdCage FH .578-28
DIRECT THREAD MOUNTS (HUB)	
DTB323HT	HUB Taper Direct Thread Brake 1/2-28
DTB324HT	HUB Taper Direct Thread Brake 5/8-24
DTB331HT	HUB Taper Direct Thread Brake 11/16-24
LT301	1/2-28
LT302A	5/8-24
LT302B	5/8-24, Stainless
LT303	3/4-24
LT304	9/16-24RH
LT315	5/8-24, SIG TAPER

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***




LAZARUS 6

BORE	6mm
RATING	5.56 NATO, 6mm ARC
DIMENSIONS	**LAZARUS 6 XENO™** 5.89”x1.63” **LAZARUS 6 KEYMO®** 6.4”x1.63”
WEIGHT	**LAZARUS 6 XENO™** 16.5 oz **LAZARUS 6 KEYMO®** 18.4 oz
MATERIALS	Haynes® 282®

R-SERIES FRONT CAPS & ACCESSORIES	
DA208	R-Series MK2 Front Cap Tool
DA201	R-Series Front Cap 5.56
DA206	R-Series Flash Hider Front Cap 5.56
RXD206	RXD R-Series Front Cap 5.56
KEYMO® / KEYMICRO ADAPTERS & MOUNTS	
DA890GOVHT	KeyMo® GOV HUB Adapter (R-Series). 17-4
DA428	KeyMo® HUB Adapter (R-Series)
DA101	KeyMo® Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo® Muzzle Brake 5/8-24, .30 Bore
DA301GOV	KeyMo® GOV Flash Hider 1/2-28 6MM, 17-4
DA302GOV	KeyMo® GOV Flash Hider 5/8-24 .30 CAL, 17-4
DA301	KeyMo® Flash Hider 1/2-28, .22 Bore
DA302	KeyMo® Flash Hider 5/8-24, .30 Bore
DA303	KeyMo® Flash Hider M14x1LH, .30 Bore
DA304	KeyMo® Flash Hider M15x1, .30 Bore
DA307	KeyMo® Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo® Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo® Flash Hider M13x1LH Steyr Aug, .22 Bore
DA305	KeyMo® Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo® Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA115GOV	KeyMicro GOV FH 1/2-28, 9mm Bore, 17-4
DA116GOV	KeyMicro GOV FH 5/8-24, 9mm Bore, 17-4
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore

XENO™ / XEMAX™ ADAPTERS & MOUNTS	
DA455	Xeno™ Adapter - HUB (R-Series)
DA455HT	Xeno™ Adapter HUB Taper
DA456HT	Xemax™ Adapter HUB Taper
DA121GOV	Xeno™ GOV A1 FH 1/2-28 .30 Bore, 17-4
DA122GOV	Xeno™ GOV A1 FH 5/8-24 .30 Bore, 17-4
DA121	Xeno™ A1 Flash Hider 1/2-28, .30 Bore
DA122	Xeno™ A1 Flash Hider 5/8-24, .30 Bore
DA123	Xeno™ A1 Omni Brake 1/2-28, .30 Bore
DA124	Xeno™ A1 Omni Brake 5/8-24, .30 Bore
DA139	Xeno™ A1 Omni Brake M14x1RH, .30 Bore
DA870	Xeno™ Radial Brake, 5/8-24, .30 Bore
DA129GOV	Xeno™ GOV 3-Prong FH, 1/2-28 6mm Bore, 17-4
DA130GOV	Xeno™ GOV 3-Prong FH, 5/8-24 9mm Bore, 17-4
DA129	Xeno™ 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno™ 3-Prong, 5/8-24, 9mm Bore
DA127	Xeno™ Xero P-Series, 1/2-28, 9mm Bore
DA128	Xeno™ Xero P-Series, 5/8-24, .45 Bore
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ P-Series Wee Brake, M13.5x1LH, 9mm Bore
RXD684	RXD Xeno™ BirdCage FH 1/2-28
RXD684S	RXD Xeno™ BirdCage FH 1/2-28 Stainless
RXD685	RXD Xeno™ BirdCage FH 5/8-24
RXD685S	RXD Xeno™ BirdCage FH 5/8-24 Stainless
RXD690	RXD Xeno™ BirdCage FH 9/16-24 RH
RXD690S	RXD Xeno™ BirdCage FH 9/16-24 RH Stainless
RXD687	RXD Xeno™ P-Series BirdCage FH 1/2-28
RXD688	RXD Xeno™ P-Series BirdCage FH 5/8-24
RXD689	RXD Xeno™ P-Series BirdCage FH .578-28
DIRECT THREAD MOUNTS (HUB)	
DTB323HT	HUB Taper Direct Thread Brake 1/2-28
DTB324HT	HUB Taper Direct Thread Brake 5/8-24
DTB331HT	HUB Taper Direct Thread Brake 11/16-24
LT301	1/2-28
LT302A	5/8-24
LT302B	5/8-24, Stainless
LT303	3/4-24
LT304	9/16-24RH
LT315	5/8-24, SIG TAPER

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***



CT5P

BORE	6mm
RATING	5.56 NATO, 6mm ARC
DIMENSIONS	**CT5P DIRECT THREAD** 5.49” x 1.6” **CT5P XENO™** 5.89” x 1.6” **CT5P KEYMO®** 6.55” x 1.6”
WEIGHT	**CT5P DIRECT THREAD** 13.7 oz **CT5P XENO™** 14.3 oz **CT5P KEYMO®** 14.9 oz
MATERIALS	Haynes® 282®


CT5P

Learn more about the CT5P ➔

R-SERIES FRONT CAPS & ACCESSORIES	
DA201	R-Series Front Cap 5.56
DA206	R-Series Flash Hider Front Cap 5.56
RXD206	RXD R-Series Front Cap 5.56
KEYMO® MOUNTS (CT5P KEYMO®)	
DA101	KeyMo® Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo® Muzzle Brake 5/8-24, .30 Bore
DA301GOV	KeyMo® GOV Flash Hider 1/2-28 6MM, 17-4
DA302GOV	KeyMo® GOV Flash Hider 5/8-24 .30 CAL, 17-4
DA301	KeyMo® Flash Hider 1/2-28, .22 Bore
DA302	KeyMo® Flash Hider 5/8-24, .30 Bore
DA303	KeyMo® Flash Hider M14x1LH, .30 Bore
DA311	KeyMo® Flash Hider M13x1LH Steyr Aug, .22 Bore
DA306	KeyMo® Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115GOV	KeyMicro GOV FH 1/2-28, 9mm Bore, 17-4
DA116GOV	KeyMicro GOV FH 5/8-24, 9mm Bore, 17-4
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore

XENO™ MOUNTS (CT5P XENO™)	
DA121	Xeno™ A1 Flash Hider 1/2-28, .30 Bore
DA122	Xeno™ A1 Flash Hider 5/8-24, .30 Bore
DA121GOV	Xeno™ GOV A1 FH 1/2-28 .30 Bore, 17-4
DA122GOV	Xeno™ GOV A1 FH 5/8-24 .30 Bore, 17-4
DA123	Xeno™ A1 Omni Brake 1/2-28, .30 Bore
DA124	Xeno™ A1 Omni Brake 5/8-24, .30 Bore
DA139	Xeno™ A1 Omni Brake M14x1RH, .30 Bore
DA870	Xeno™ Radial Brake, 5/8-24, .30 Bore
DA129GOV	Xeno™ GOV 3-Prong FH, 1/2-28 6mm Bore, 17-4
DA130GOV	Xeno™ GOV 3-Prong FH, 5/8-24 9mm Bore, 17-4
DA129	Xeno™ 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno™ 3-Prong, 5/8-24, 9mm Bore
DA127	Xeno™ Xero P-Series, 1/2-28, 9mm Bore
DA128	Xeno™ Xero P-Series, 5/8-24, .45 Bore
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ P-Series Wee Brake, M13.5x1LH, 9mm Bore
RXD684	RXD Xeno™ BirdCage FH 1/2-28
RXD684S	RXD Xeno™ BirdCage FH 1/2-28 Stainless
RXD685	RXD Xeno™ BirdCage FH 5/8-24
RXD685S	RXD Xeno™ BirdCage FH 5/8-24 Stainless
RXD690	RXD Xeno™ BirdCage FH 9/16-24 RH
RXD690S	RXD Xeno™ BirdCage FH 9/16-24 RH Stainless
RXD687	RXD Xeno™ P-Series BirdCage FH 1/2-28
RXD688	RXD Xeno™ P-Series BirdCage FH 5/8-24
RXD689	RXD Xeno™ P-Series BirdCage FH .578-28

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***




SANDMAN X

BORE	30 Caliber
RATING	.300 RUM
DIMENSIONS	**SANDMAN X XENO™** 6.4”x1.65” **SANDMAN X KEYMO®** 6.9”x1.65”
WEIGHT	**SANDMAN X XENO™** 14.5 oz **SANDMAN X KEYMO®** 16.8 oz
MATERIALS	Haynes® 282®

R-SERIES FRONT CAPS & ACCESSORIES	
DA208	R-Series MK2 Front Cap Tool
DA201	R-Series Front Cap 5.56
DA204	R-Series Front Cap 7.62
DA205	R-Series Front Cap 6.5mm
DA206	R-Series Flash Hider Front Cap 5.56
DA207	R-Series Flash Hider Front Cap 7.62
DA209A	R-Series Front Cap Nomad .30 Cal Black
DA209B	R-Series Front Cap Nomad .30 Cal Grey
DA210A	R-Series Front Cap Nomad LTI 30 Cal Black
RXD206	RXD R-Series Front Cap 5.56
RXD207	RXD R-Series Front Cap 7.62
KEYMO® / KEYMICRO ADAPTERS & MOUNTS	
DA890GOVHT	KeyMo® GOV HUB Adapter (R-Series). 17-4
DA428	KeyMo® HUB Adapter (R-Series)
DA101	KeyMo® Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo® Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo® Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo® Muzzle Brake M18x1, .338 Bore
DA106	KeyMo® Muzzle Brake M18x1.5, .338 Bore
DA301GOV	KeyMo® GOV Flash Hider 1/2-28 6MM, 17-4
DA302GOV	KeyMo® GOV Flash Hider 5/8-24 .30 CAL, 17-4
DA301	KeyMo® Flash Hider 1/2-28, .22 Bore
DA302	KeyMo® Flash Hider 5/8-24, .30 Bore
DA303	KeyMo® Flash Hider M14x1LH, .30 Bore
DA304	KeyMo® Flash Hider M15x1, .30 Bore
DA307	KeyMo® Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo® Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo® Flash Hider M13x1LH Steyr Aug, .22 Bore
DA305	KeyMo® Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo® Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115GOV	KeyMicro GOV FH 1/2-28, 9mm Bore, 17-4
DA116GOV	KeyMicro GOV FH 5/8-24, 9mm Bore, 17-4
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore

XENO™ / XEMAX™ ADAPTERS & MOUNTS	
DA455	Xeno™ Adapter - HUB (R-Series)
DA455HT	Xeno™ Adapter HUB Taper
DA456HT	Xemax™ Adapter HUB Taper
DA121GOV	Xeno™ GOV A1 FH 1/2-28 .30 Bore, 17-4
DA122GOV	Xeno™ GOV A1 FH 5/8-24 .30 Bore, 17-4
DA121	Xeno™ A1 Flash Hider 1/2-28, .30 Bore
DA122	Xeno™ A1 Flash Hider 5/8-24, .30 Bore
DA123	Xeno™ A1 Omni Brake 1/2-28, .30 Bore
DA124	Xeno™ A1 Omni Brake 5/8-24, .30 Bore
DA139	Xeno™ A1 Omni Brake M14x1RH, .30 Bore
DA870	Xeno™ Radial Brake, 5/8-24, .30 Bore
DA129GOV	Xeno™ GOV 3-Prong FH, 1/2-28 6mm Bore, 17-4
DA130GOV	Xeno™ GOV 3-Prong FH, 5/8-24 9mm Bore, 17-4
DA129	Xeno™ 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno™ 3-Prong, 5/8-24, 9mm Bore
DA127	Xeno™ Xero P-Series, 1/2-28, 9mm Bore
DA128	Xeno™ Xero P-Series, 5/8-24, .45 Bore
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ P-Series Wee Brake, M13.5x1LH, 9mm Bore
RXD684	RXD Xeno™ BirdCage FH 1/2-28
RXD684S	RXD Xeno™ BirdCage FH 1/2-28 Stainless
RXD685	RXD Xeno™ BirdCage FH 5/8-24
RXD685S	RXD Xeno™ BirdCage FH 5/8-24 Stainless
RXD690	RXD Xeno™ BirdCage FH 9/16-24 RH
RXD690S	RXD Xeno™ BirdCage FH 9/16-24 RH Stainless
RXD687	RXD Xeno™ P-Series BirdCage FH 1/2-28
RXD688	RXD Xeno™ P-Series BirdCage FH 5/8-24
RXD689	RXD Xeno™ P-Series BirdCage FH .578-28
DA150	Xemax™ Muzzle Brake 5/8-24, .338LM
DA151	Xemax™ Muzzle Brake 3/4-24, .338LM
DA153	Xemax™ Muzzle Brake M18x1, .338LM
DA154	Xemax™ Muzzle Brake M18x1.5 AI, .338LM
DA155	Xemax™ Muzzle Brake 3/4-20, .338LM
DIRECT THREAD MOUNTS (HUB)	
DTB323HT	HUB Taper Direct Thread Brake 1/2-28
DTB324HT	HUB Taper Direct Thread Brake 5/8-24
DTB331HT	HUB Taper Direct Thread Brake 11/16-24
LT301	1/2-28
LT302A	5/8-24
LT302B	5/8-24, Stainless
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 AI
LT315	5/8-24, SIG TAPER

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***



NOMAD

BORE	30 Caliber
RATING	.300 RUM
DIMENSIONS	**NOMAD 30** 6.5" x 1.735" **NOMAD L** 8.39" x 1.735"
WEIGHT	**NOMAD 30** 14.5 oz **NOMAD L** 18.3 oz
MATERIALS	17-4 Stainless Steel

NOMAD


Learn more about the Nomad 30 ➡

Learn more about the Nomad L ➡

R-SERIES FRONT CAPS & ACCESSORIES	
DA208	R-Series MK2 Front Cap Tool
KA180	Nomad E-Brake
DA201	R-Series Front Cap 5.56
DA204	R-Series Front Cap 7.62
DA205	R-Series Front Cap 6.5mm
DA206	R-Series Flash Hider Front Cap 5.56
DA207	R-Series Flash Hider Front Cap 7.62
DA209A	R-Series Front Cap Nomad .30 Cal Black
DA209B	R-Series Front Cap Nomad .30 Cal Grey
DA210A	R-Series Front Cap Nomad LTI 30 Cal Black
RXD206	RXD R-Series Front Cap 5.56
RXD207	RXD R-Series Front Cap 7.62
KEYMO® / KEYMICRO ADAPTERS & MOUNTS	
DA890GOVHT	KeyMo® GOV HUB Adapter (R-Series). 17-4
DA428	KeyMo® HUB Adapter (R-Series)
DA101	KeyMo® Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo® Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo® Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo® Muzzle Brake M18x1, .338 Bore
DA106	KeyMo® Muzzle Brake M18x1.5, .338 Bore
DA301GOV	KeyMo® GOV Flash Hider 1/2-28 6MM, 17-4
DA302GOV	KeyMo® GOV Flash Hider 5/8-24 .30 CAL, 17-4
DA301	KeyMo® Flash Hider 1/2-28, .22 Bore
DA302	KeyMo® Flash Hider 5/8-24, .30 Bore
DA303	KeyMo® Flash Hider M14x1LH, .30 Bore
DA304	KeyMo® Flash Hider M15x1, .30 Bore
DA305	KeyMo® Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo® Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	KeyMo® FH 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo® FH 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo® Flash Hider M13x1LH Steyr Aug, .22 Bore
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA161	KeyMo® 46 Muzzle Brake 5/8-24, .458 Bore
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115GOV	KeyMicro GOV FH 1/2-28, 9mm Bore, 17-4
DA116GOV	KeyMicro GOV FH 5/8-24, 9mm Bore, 17-4
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore

XENO™ / XEMAX™ ADAPTERS & MOUNTS	
DA455	Xeno™ Adapter - HUB (R-Series)
DA455HT	Xeno™ Adapter HUB Taper
DA456HT	Xemax™ Adapter HUB Taper
DA121GOV	Xeno™ GOV A1 FH 1/2-28 .30 Bore, 17-4
DA122GOV	Xeno™ GOV A1 FH 5/8-24 .30 Bore, 17-4
DA121	Xeno™ A1 Flash Hider 1/2-28, .30 Bore
DA122	Xeno™ A1 Flash Hider 5/8-24, .30 Bore
DA123	Xeno™ A1 Omni Brake 1/2-28, .30 Bore
DA124	Xeno™ A1 Omni Brake 5/8-24, .30 Bore
DA139	Xeno™ A1 Omni Brake M14x1RH, .30 Bore
DA870	Xeno™ Radial Brake, 5/8-24, .30 Bore
DA129GOV	Xeno™ GOV 3-Prong FH, 1/2-28 6mm Bore, 17-4
DA130GOV	Xeno™ GOV 3-Prong FH, 5/8-24 9mm Bore, 17-4
DA129	Xeno™ 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno™ 3-Prong, 5/8-24, 9mm Bore
DA127	Xeno™ Xero P-Series, 1/2-28, 9mm Bore
DA128	Xeno™ Xero P-Series, 5/8-24, .45 Bore
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ P-Series Wee Brake, M13.5x1LH, 9mm Bore
RXD684	RXD Xeno™ BirdCage FH 1/2-28
RXD684S	RXD Xeno™ BirdCage FH 1/2-28 Stainless
RXD685	RXD Xeno™ BirdCage FH 5/8-24
RXD685S	RXD Xeno™ BirdCage FH 5/8-24 Stainless
RXD690	RXD Xeno™ BirdCage FH 9/16-24 RH
RXD690S	RXD Xeno™ BirdCage FH 9/16-24 RH Stainless
RXD687	RXD Xeno™ P-Series BirdCage FH 1/2-28
RXD688	RXD Xeno™ P-Series BirdCage FH 5/8-24
RXD689	RXD Xeno™ P-Series BirdCage FH .578-28
DA150	Xemax™ Muzzle Brake 5/8-24, .338LM
DA151	Xemax™ Muzzle Brake 3/4-24, .338LM
DA153	Xemax™ Muzzle Brake M18x1, .338LM
DA154	Xemax™ Muzzle Brake M18x1.5 AI, .338LM
DA155	Xemax™ Muzzle Brake 3/4-20, .338LM
DIRECT THREAD MOUNTS (HUB)	
DTB323HT	HUB Taper Direct Thread Brake 1/2-28
DTB324HT	HUB Taper Direct Thread Brake 5/8-24
DTB331HT	HUB Taper Direct Thread Brake 11/16-24
LT301	1/2-28
LT302A	5/8-24
LT302B	5/8-24, Stainless
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 AI
LT313	11/16-24
LT315	5/8-24, SIG TAPER

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***



NOMAD Ti XC

BORE	30 Caliber
RATING	.300 RUM
DIMENSIONS	**NOMAD Ti XC** 6.74" x 1.76" **NOMAD LTi XC** 8.8" x 1.76"
WEIGHT	**NOMAD Ti XC** 9.6 oz **NOMAD LTi XC** 12.2 oz
MATERIALS	6AL-4V Titanium

NOMAD Ti XC


Learn more about the Nomad Ti XC ➡

Learn more about the Nomad LTi XC ➡

R-SERIES FRONT CAPS & ACCESSORIES	
DA208	R-Series MK2 Front Cap Tool
KA180	Nomad E-Brake
DA201	R-Series Front Cap 5.56
DA204	R-Series Front Cap 7.62
DA205	R-Series Front Cap 6.5mm
DA206	R-Series Flash Hider Front Cap 5.56
DA207	R-Series Flash Hider Front Cap 7.62
DA209A	R-Series Front Cap Nomad .30 Cal Black
DA209B	R-Series Front Cap Nomad .30 Cal Grey
DA210A	R-Series Front Cap Nomad LTI 30 Cal Black
RXD206	RXD R-Series Front Cap 5.56
RXD207	RXD R-Series Front Cap 7.62
KEYMO® / KEYMICRO ADAPTERS & MOUNTS	
DA890GOVHT	KeyMo® GOV HUB Adapter (R-Series). 17-4
DA428	KeyMo® HUB Adapter (R-Series)
DA101	KeyMo® Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo® Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo® Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo® Muzzle Brake M18x1, .338 Bore
DA106	KeyMo® Muzzle Brake M18x1.5, .338 Bore
DA301GOV	KeyMo® GOV Flash Hider 1/2-28 6MM, 17-4
DA302GOV	KeyMo® GOV Flash Hider 5/8-24 .30 CAL, 17-4
DA301	KeyMo® Flash Hider 1/2-28, .22 Bore
DA302	KeyMo® Flash Hider 5/8-24, .30 Bore
DA303	KeyMo® Flash Hider M14x1LH, .30 Bore
DA304	KeyMo® Flash Hider M15x1, .30 Bore
DA307	KeyMo® FH 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo® FH 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo® Flash Hider M13x1LH Steyr Aug, .22 Bore
DA305	KeyMo® Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo® Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA161	KeyMo® 46 Muzzle Brake 5/8-24, .458 Bore
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115GOV	KeyMicro GOV FH 1/2-28, 9mm Bore, 17-4
DA116GOV	KeyMicro GOV FH 5/8-24, 9mm Bore, 17-4
DA115	KeyMicro Flash Hider 1/2-28, 9mm Bore
DA116	KeyMicro Flash Hider 5/8-24, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore

XENO™ / XEMAX™ ADAPTERS & MOUNTS	
DA455	Xeno™ Adapter - HUB (R-Series)
DA455HT	Xeno™ Adapter HUB Taper
DA456HT	Xemax™ Adapter HUB Taper
DA121GOV	Xeno™ GOV A1 FH 1/2-28 .30 Bore, 17-4
DA122GOV	Xeno™ GOV A1 FH 5/8-24 .30 Bore, 17-4
DA121	Xeno™ A1 Flash Hider 1/2-28, .30 Bore
DA122	Xeno™ A1 Flash Hider 5/8-24, .30 Bore
DA123	Xeno™ A1 Omni Brake 1/2-28, .30 Bore
DA124	Xeno™ A1 Omni Brake 5/8-24, .30 Bore
DA139	Xeno™ A1 Omni Brake M14x1RH, .30 Bore
DA870	Xeno™ Radial Brake, 5/8-24, .30 Bore
DA129	Xeno™ 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno™ 3-Prong, 5/8-24, 9mm Bore
DA129GOV	Xeno™ GOV 3-Prong FH, 1/2-28 6mm Bore, 17-4
DA130GOV	Xeno™ GOV 3-Prong FH, 5/8-24 9mm Bore, 17-4
DA127	Xeno™ Xero P-Series, 1/2-28, 9mm Bore
DA128	Xeno™ Xero P-Series, 5/8-24, .45 Bore
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ P-Series Wee Brake, M13.5x1LH, 9mm Bore
RXD684	RXD Xeno™ BirdCage FH 1/2-28
RXD684S	RXD Xeno™ BirdCage FH 1/2-28 Stainless
RXD685	RXD Xeno™ BirdCage FH 5/8-24
RXD685S	RXD Xeno™ BirdCage FH 5/8-24 Stainless
RXD690	RXD Xeno™ BirdCage FH 9/16-24 RH
RXD690S	RXD Xeno™ BirdCage FH 9/16-24 RH Stainless
RXD687	RXD Xeno™ P-Series BirdCage FH 1/2-28
RXD688	RXD Xeno™ P-Series BirdCage FH 5/8-24
RXD689	RXD Xeno™ P-Series BirdCage FH .578-28
DA150	Xemax™ Muzzle Brake 5/8-24, .338LM
DA151	Xemax™ Muzzle Brake 3/4-24, .338LM
DA153	Xemax™ Muzzle Brake M18x1, .338LM
DA154	Xemax™ Muzzle Brake M18x1.5 AI, .338LM
DA155	Xemax™ Muzzle Brake 3/4-20, .338LM
DIRECT THREAD MOUNTS (HUB)	
DTB323HT	HUB Taper Direct Thread Brake 1/2-28
DTB324HT	HUB Taper Direct Thread Brake 5/8-24
DTB331HT	HUB Taper Direct Thread Brake 11/16-24
LT301	1/2-28
LT302A	5/8-24
LT302B	5/8-24, Stainless
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 AI
LT313	11/16-24
LT315	5/8-24, SIG TAPER

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***



NOMAD Ti OTB

BORE	30 Caliber
RATING	.300 RUM, 7mm Backcountry
DIMENSIONS	7.65” x 1.76“
WEIGHT	10.5 oz
MATERIALS	6AL-4V Titanium


NOMAD Ti OTB

Learn more about the Nomad Ti OTB ➔

R-SERIES FRONT CAPS & ACCESSORIES	
DA208	R-Series MK2 Front Cap Tool
KA180	Nomad E-Brake. .30 Bore
DA209A	R-Series Front Cap Nomad .30 Cal Black
DA209B	R-Series Front Cap Nomad .30 Cal Grey
DA210A	R-Series Front Cap Nomad LTi .30 Cal Black
DA201	Front Cap 5.56
DA204	Front Cap 7.62
DA205	Front Cap 6.5mm
DA206	Flash Hider Front Cap 5.56
DA207	Flash Hider Front Cap 7.62
RXD206	RXD Flash Hider Front Cap 5.56
RXD207	RXD Flash Hider Front Cap 7.62

XENO™ MOUNTS	
DA121GOV	Xeno™ GOV A1 FH 1/2-28 .30 Bore, 17-4
DA122GOV	Xeno™ GOV A1 FH 5/8-24 .30 Bore, 17-4
DA121	Xeno™ A1 Flash Hider 1/2-28, .30 Bore
DA122	Xeno™ A1 Flash Hider 5/8-24, .30 Bore
DA129GOV	Xeno™ GOV 3-Prong FH, 1/2-28 6mm Bore, 17-4
DA130GOV	Xeno™ GOV 3-Prong FH, 5/8-24 9mm Bore, 17-4
DA129	Xeno™ 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno™ 3-Prong, 5/8-24, 9mm Bore
DA129	Xeno™ 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno™ 3-Prong, 5/8-24, 9mm Bore
DA121	Xeno™ A1 Flash Hider 1/2-28, .30 Bore
DA122	Xeno™ A1 Flash Hider 5/8-24, .30 Bore
DA139	Xeno™ A1 Omni Brake M14x1RH, .30 Bore
DA123	Xeno™ A1 Omni Brake 1/2-28, .30 Bore
DA124	Xeno™ A1 Omni Brake 5/8-24, .30 Bore
DA870	Xeno™ Radial Brake, 5/8-24, .30 Bore
DA127	Xeno™ Xero, 1/2-28, 9mm Bore
DA128	Xeno™ Xero, 5/8-24, .45 Bore
DA143	Xeno™ Xero, 9/16-24 RH, 9mm Bore
DA144	Xeno™ Xero, .578-28, .45 Bore
DA146	Xeno™ Xero, 5/8-32, .45 Bore
DA147	Xeno™ Xero, 11/16-24, .45 Bore
DA125	Xeno™ Pistol Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ Pistol Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ Pistol Wee Brake, M13.5x1LH, 9mm Bore
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
RXD687	RXD Xeno™ P-Series BirdCage FH 1/2-28
RXD688	RXD Xeno™ P-Series BirdCage FH 5/8-24
RXD689	RXD Xeno™ P-Series BirdCage FH .578-28

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***




RXD 30Ti

BORE	30 Caliber
RATING	6.5 Creedmoor, .308 Win, up to 300 PRC
DIMENSIONS	7.34" x 1.74"
WEIGHT	**DIRECT THREAD BRAKE MOUNT** 12.4 oz **NO MOUNT** 9.9 oz
MATERIALS	6AL-4V Titanium, Stainless Steel

R-SERIES FRONT CAPS & ACCESSORIES	
DA201	R-Series Front Cap 5.56
DA204	R-Series Front Cap 7.62
DA205	R-Series Front Cap 6.5mm
DA206	R-Series Flash Hider Front Cap 5.56
DA207	R-Series Flash Hider Front Cap 7.62
DA209A	R-Series Front Cap Nomad .30 Cal Black
RXD206	RXD Flash Hider Front Cap 5.56
RXD207	RXD Flash Hider Front Cap 7.62
DIRECT THREAD BRAKE MOUNTS	
DTB324HT	Direct Thread Brake Mount 5/8-24
DTB323HT	Direct Thread Brake Mount 1/2-28
DTB331HT	Direct Thread Brake Mount 11/16-24
KEYMO® / KEYMICRO ADAPTERS & MOUNTS	
DA890GOVHT	KeyMo® GOV HUB Adapter (R-Series). 17-4
DA428	KeyMo® HUB Adapter (R-Series)
DA101	KeyMo® Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo® Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo® Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo® Muzzle Brake M18x1, .338 Bore
DA106	KeyMo® Muzzle Brake M18x1.5, .338 Bore
DA301GOV	KeyMo® GOV Flash Hider 1/2-28 6MM, 17-4
DA302GOV	KeyMo® GOV Flash Hider 5/8-24 .30 CAL, 17-4
DA301	KeyMo® Flash Hider 1/2-28, .22 Bore
DA302	KeyMo® Flash Hider 5/8-24, .30 Bore
DA303	KeyMo® Flash Hider M14x1LH, .30 Bore
DA304	KeyMo® Flash Hider M15x1, .30 Bore
DA307	KeyMo® Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo® Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo® Flash Hider M13x1LH Steyr Aug, .22 Bore
DA305	KeyMo® Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo® Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA161	KeyMo® 46 Muzzle Brake 5/8-24, .458 Bore
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115GOV	KeyMicro GOV FH 1/2-28, 9mm Bore, 17-4
DA116GOV	KeyMicro GOV FH 5/8-24, 9mm Bore, 17-4
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore

XENO™ / XEMAX™ ADAPTERS & MOUNTS	
DA455	Xeno™ Adapter - HUB (R-Series)
DA455HT	Xeno™ Adapter HUB Taper
DA456HT	Xemax™ Adapter HUB Taper
DA121	Xeno™ A1 Flash Hider 1/2-28, .30 Bore
DA122	Xeno™ A1 Flash Hider 5/8-24, .30 Bore
DA121GOV	Xeno™ GOV A1 FH 1/2-28 .30 Bore, 17-4
DA122GOV	Xeno™ GOV A1 FH 5/8-24 .30 Bore, 17-4
DA123	Xeno™ A1 Omni Brake 1/2-28, .30 Bore
DA124	Xeno™ A1 Omni Brake 5/8-24, .30 Bore
DA139	Xeno™ A1 Omni Brake M14x1RH, .30 Bore
DA127	Xeno™ Xero, 1/2-28, 9mm Bore
DA128	Xeno™ Xero, 5/8-24, .45 Bore
DA870	Xeno™ Radial Brake, 5/8-24, .30 Bore
DA129	Xeno™ 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno™ 3-Prong, 5/8-24, 9mm Bore
DA129GOV	Xeno™ GOV 3-Prong FH, 1/2-28 6mm Bore, 17-4
DA130GOV	Xeno™ GOV 3-Prong FH, 5/8-24 9mm Bore, 17-4
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ P-Series Wee Brake, M13.5x1LH, 9mm Bore
RXD684	RXD Xeno™ BirdCage FH 1/2-28
RXD684S	RXD Xeno™ BirdCage FH 1/2-28 Stainless
RXD685	RXD Xeno™ BirdCage FH 5/8-24
RXD685S	RXD Xeno™ BirdCage FH 5/8-24 Stainless
RXD690	RXD Xeno™ BirdCage FH 9/16-24 RH
RXD690S	RXD Xeno™ BirdCage FH 9/16-24 RH Stainless
RXD687	RXD Xeno™ P-Series BirdCage FH 1/2-28
RXD688	RXD Xeno™ P-Series BirdCage FH 5/8-24
RXD689	RXD Xeno™ P-Series BirdCage FH .578-28
DA150	Xemax™ Muzzle Brake 5/8-24, .338LM
DA151	Xemax™ Muzzle Brake 3/4-24, .338LM
DA153	Xemax™ Muzzle Brake M18x1, .338LM
DA154	Xemax™ Muzzle Brake M18x1.5 AI, .338LM
DA155	Xemax™ Muzzle Brake 3/4-20, .338LM
DIRECT THREAD MOUNTS (HUB)	
DTB323HT	HUB Taper Direct Thread Brake 1/2-28
DTB324HT	HUB Taper Direct Thread Brake 5/8-24
DTB331HT	HUB Taper Direct Thread Brake 11/16-24
LT301	1/2-28
LT302A	5/8-24
LT302B	5/8-24, Stainless
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 AI
LT313	11/16-24
LT315	5/8-24, SIG TAPER

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***



WOLVERINE


BORE	30 Caliber
RATING	Up to 7.62x54R
DIMENSIONS	7.4" x 1.5" tube/1.93" outside diameter
WEIGHT	19.8 oz - 24.4 oz
MATERIALS	Cobalt 6 Baffles, Stainless Steel

WOLVERINE

Learn more about the Wolverine ➔

WOLVERINE COLLARS AND THREAD INSERTS	
WV101	Collar for M13,M14,M15,M16, 5/8-24, 1/2-28 Inserts
WV111	Collar for M24 Inserts
WV121	Collar for M26 Inserts
WV200	14x1mm LH Insert, .30 Bore
WV201	24mm RH Insert, .30 Bore
WV202	26mm LH w/M26 Collar, .30 Bore
WV203	15mm RH Insert, .30 Bore
WV204	14mm RH Insert, .30 Bore
WV205	1/2-28 Insert, .30 Bore
WV206	5/8-24 Insert, .30 Bore
WV207	13mm RH Insert, .30 Bore
WV208	16mm/RPD Insert, .30 Bore
WV209	24mm RH LONG Insert, .30 Bore
WV210	14x1mm LH LONG Insert, .30 Bore
R-SERIES FRONT CAPS & ACCESSORIES	
DA208	R-Series MK2 Front Cap Tool
DA442	Sandman E-Brake
DA212	Wolverine Front Cap 7.62
DA201	Front Cap 5.56 (check barrel concentricity)
DA204	Front Cap 7.62 (check barrel concentricity)
DA205	Front Cap 6.5mm (check barrel concentricity)
DA206	Flash Hider Front Cap 5.56 (check concentricity)
DA207	Flash Hider Front Cap 7.62 (check concentricity)
DA209A	R-Series Front Cap Nomad .30 Cal Black
RXD206	RXD R-Series Front Cap 5.56
RXD207	RXD R-Series Front Cap 7.62
WOLVERINE HUB ADAPTER	
WV211	Wolverene HUB Adapter + Lock Ring
XENO™ / XEMAX™ ADAPTERS & MOUNTS	
DA455	Xeno™ Adapter - HUB (R-Series)
DA455HT	Xeno™ Adapter HUB Taper
DA456HT	Xemax™ Adapter HUB Taper
DA121GOV	Xeno™ GOV A1 FH 1/2-28 .30 Bore, 17-4
DA122GOV	Xeno™ GOV A1 FH 5/8-24 .30 Bore, 17-4
DA121	Xeno™ A1 Flash Hider 1/2-28, .30 Bore
DA122	Xeno™ A1 Flash Hider 5/8-24, .30 Bore
DA123	Xeno™ A1 Omni Brake 1/2-28, .30 Bore
DA124	Xeno™ A1 Omni Brake 5/8-24, .30 Bore
DA139	Xeno™ A1 Omni Brake M14x1 RH, .30 Bore
DA870	Xeno™ Radial Brake, 5/8-24, .30 Bore
DA127	Xeno™ Xero, 1/2-28, 9mm Bore
DA128	Xeno™ Xero, 5/8-24, .45 Bore
DA143	Xeno™ Xero, 9/16-24 RH, 9mm Bore
DA129	Xeno™ 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno™ 3-Prong, 5/8-24, 9mm Bore
DA129GOV	Xeno™ GOV 3-Prong FH, 1/2-28 6mm Bore, 17-4
DA130GOV	Xeno™ GOV 3-Prong FH, 5/8-24 9mm Bore, 17-4
DA127	Xeno™ Xero P-Series, 1/2-28, 9mm Bore
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ P-Series Wee Brake, M13.5x1LH, 9mm Bore
RXD684	RXD Xeno™ BirdCage FH 1/2-28
RXD684S	RXD Xeno™ BirdCage FH 1/2-28 Stainless
RXD685	RXD Xeno™ BirdCage FH 5/8-24
RXD685S	RXD Xeno™ BirdCage FH 5/8-24 Stainless
RXD690	RXD Xeno™ BirdCage FH 9/16-24 RH
RXD690S	RXD Xeno™ BirdCage FH 9/16-24 RH Stainless
RXD687	RXD Xeno™ P-Series BirdCage FH 1/2-28
RXD688	RXD Xeno™ P-Series BirdCage FH 5/8-24
RXD689	RXD Xeno™ P-Series BirdCage FH .578-28
KEYMO® / KEYMICRO ADAPTERS & MOUNTS	
DA890GOVHT	KeyMo® GOV HUB Adapter (R-Series). 17-4
DA428	KeyMo® HUB Adapter (R-Series)
DA101	KeyMo® Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo® Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo® Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo® Muzzle Brake M18x1, .338 Bore
DA106	KeyMo® Muzzle Brake M18x1.5, .338 Bore
DA301	KeyMo® Flash Hider 1/2-28, .22 Bore
DA302	KeyMo® Flash Hider 5/8-24, .30 Bore
DA301GOV	KeyMo® GOV Flash Hider 1/2-28 6MM, 17-4
DA302GOV	KeyMo® GOV Flash Hider 5/8-24 .30 CAL, 17-4
DA303	KeyMo® Flash Hider M14x1LH, .30 Bore
DA304	KeyMo® Flash Hider M15x1, .30 Bore
DA307	KeyMo® FH 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo® FH 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo® Flash Hider M13x1LH Steyr Aug, .22 Bore
DA305	KeyMo® Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo® Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA161	KeyMo® 46 Muzzle Brake 5/8-24, .458 Bore
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115GOV	KeyMicro GOV FH 1/2-28, 9mm Bore, 17-4
DA116GOV	KeyMicro GOV FH 5/8-24, 9mm Bore, 17-4
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA117	KeyMicro FH M13.5x1LH, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore
DIRECT THREAD MOUNTS (HUB)	
DTB323HT	HUB Taper Direct Thread Brake 1/2-28
DTB324HT	HUB Taper Direct Thread Brake 5/8-24
DTB331HT	HUB Taper Direct Thread Brake 11/16-24
LT301	1/2-28
LT302A	5/8-24
LT302B	5/8-24, Stainless
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 AI
LT313	11/16-24
LT315	5/8-24, SIG TAPER

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***



PRIMAL

BORE	.458 Caliber
RATING	.458 with energies up to .338 Lapua
DIMENSIONS	7.9" x 1.618"
WEIGHT	16.4 oz
MATERIALS	17-4 Stainless Steel

PRIMAL


Learn more about the Primal ➡

R-SERIES FRONT CAPS & ACCESSORIES	
DA208	R-Series MK2 Front Cap Tool
DA211	R-Series Primal Front Cap .45
DA201	Front Cap 5.56 (check barrel concentricity)
DA204	Front Cap 7.62 (check barrel concentricity)
DA205	Front Cap 6.5mm (check barrel concentricity)
DA206	Flash Hider Front Cap 5.56 (check concentricity)
DA207	Flash Hider Front Cap 7.62 (check concentricity)
DA209A	R-Series Front Cap Nomad .30 Cal Black
DA209B	R-Series Front Cap Nomad .30 Cal Grey
DA210A	R-Series Front Cap Nomad LTI 30 Cal Black
DA212	R-Series Wolverine Front Cap 7.62
DA213A	R-Series Nomax 33™ Front Cap Black
SD501	Wipe Cap, 9mm Bore
RXD206	RXD R-Series Front Cap 5.56
RXD207	RXD R-Series Front Cap 7.62
RXD683	RXD R-Series Front Cap 9MM-10MM
HUB TO P-SERIES ADAPTER	
SD502	HUB to P-Series Adapter
DIRECT THREAD MOUNTS (HUB)	
DTB323HT	HUB Taper Direct Thread Brake 1/2-28
DTB324HT	HUB Taper Direct Thread Brake 5/8-24
DTB331HT	HUB Taper Direct Thread Brake 11/16-24
LT301	1/2-28
LT302A	5/8-24
LT302B	5/8-24, Stainless
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 AI
LT313	11/16-24
LT315	5/8-24, SIG TAPER
KEYMO® / KEYMICRO ADAPTERS & MOUNTS	
DA890GOVHT	KeyMo® GOV HUB Adapter (R-Series). 17-4
DA428	KeyMo® HUB Adapter (R-Series)
DA301GOV	KeyMo® GOV Flash Hider 1/2-28 6MM, 17-4
DA302GOV	KeyMo® GOV Flash Hider 5/8-24 .30 CAL, 17-4
DA101	KeyMo® Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo® Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo® Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo® Muzzle Brake M18x1, .338 Bore
DA106	KeyMo® Muzzle Brake M18x1.5, .338 Bore
DA301	KeyMo® Flash Hider 1/2-28, .22 Bore
DA302	KeyMo® Flash Hider 5/8-24, .30 Bore
DA303	KeyMo® Flash Hider M14x1LH, .30 Bore
DA304	KeyMo® Flash Hider M15x1, .30 Bore
DA307	KeyMo® FH 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo® FH 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo® FH M13x1LH Steyr Aug, .22 Bore
DA305	KeyMo® FH SCAR 17/ Muz. Shoulder 5/8-24, .30 Bore
DA306	KeyMo® FH SCAR 16/ Muz. Shoulder 1/2-28, .22 Bore
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA322	KeyMo® Zero .578-28, .45 Bore
DA323	KeyMo® Zero 9/16-24RH, 9mm Bore
DA324	KeyMo® Zero 11/16-24, .45 Bore
DA160	KeyMo® 46 Muzzle Brake .578-28, .458 Bore
DA161	KeyMo® 46 Muzzle Brake 5/8-24, .458 Bore
DA162	KeyMo® 46 Muzzle Brake 5/8-32, .458 Bore
DA163	KeyMo® 46 Muzzle Brake 11/16-24, .458 Bore
DA115GOV	KeyMicro GOV FH 1/2-28, 9mm Bore, 17-4
DA116GOV	KeyMicro GOV FH 5/8-24, 9mm Bore, 17-4
DA451	KeyMicro Adapter for P-Series
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA117	KeyMicro FH M13.5x1LH, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore

XENO™ ADAPTERS & MOUNTS	
DA455	Xeno™ Adapter - HUB (R-Series)
DA455HT	Xeno™ Adapter HUB Taper
DA457	Xeno™ Adapter (P-Series)
DA121GOV	Xeno™ GOV A1 FH 1/2-28 .30 Bore, 17-4
DA122GOV	Xeno™ GOV A1 FH 5/8-24 .30 Bore, 17-4
DA121	Xeno™ A1 Flash Hider 1/2-28, .30 Bore
DA122	Xeno™ A1 Flash Hider 5/8-24, .30 Bore
DA123	Xeno™ A1 Omni Brake 1/2-28, .30 Bore
DA124	Xeno™ A1 Omni Brake 5/8-24, .30 Bore
DA139	Xeno™ A1 Omni Brake M14x1RH, .30 Bore
DA870	Xeno™ Radial Brake, 5/8-24, .30 Bore
DA129	Xeno™ 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno™ 3-Prong, 5/8-24, 9mm Bore
DA129GOV	Xeno™ GOV 3-Prong FH, 1/2-28 6mm Bore, 17-4
DA130GOV	Xeno™ GOV 3-Prong FH, 5/8-24 9mm Bore, 17-4
DA127	Xeno™ Xero, 1/2-28, 9mm Bore
DA128	Xeno™ Xero, 5/8-24, .45 Bore
DA143	Xeno™ Xero, 9/16-24 RH, 9mm Bore
DA144	Xeno™ Xero, .578-28, .45 Bore
DA146	Xeno™ Xero, 5/8-32, .45 Bore
DA147	Xeno™ Xero, 11/16-24, .45 Bore
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ Pistol Wee Brake, M13.5x1LH, 9mm Bore
RXD684	RXD Xeno™ BirdCage FH 1/2-28
RXD684S	RXD Xeno™ BirdCage FH 1/2-28 Stainless
RXD685	RXD Xeno™ BirdCage FH 5/8-24
RXD685S	RXD Xeno™ BirdCage FH 5/8-24 Stainless
RXD690	RXD Xeno™ BirdCage FH 9/16-24 RH
RXD690S	RXD Xeno™ BirdCage FH 9/16-24 RH Stainless
RXD687	RXD Xeno™ P-Series BirdCage FH 1/2-28
RXD688	RXD Xeno™ P-Series BirdCage FH 5/8-24
RXD689	RXD Xeno™ P-Series BirdCage FH .578-28
XEMAX™ ADAPTER & MOUNTS	
DA456HT	Xemax™ Adapter HUB Taper
DA150	Xemax™ Muzzle Brake 5/8-24, .338LM, .338 Bore
DA151	Xemax™ Muzzle Brake 3/4-24, .338LM, .338 Bore
DA152	Xemax™ Muzzle Brake 11/16-24, .45 Cal, .458 Bore
DA153	Xemax™ Muzzle Brake M18x1, .338LM, .338 Bore
DA154	Xemax™ Muzzle Brake M18x1.5 AI, .338LM, .338 Bore
DA155	Xemax™ Muzzle Brake 3/4-20, .338LM, .338 Bore
P-SERIES FIXED MOUNTS	
DA410	P-Series Fixed Mount, 1/2-28, Shoulder
DA411	P-Series Fixed Mount, 1/2-36, Shoulder
DA412	P-Series Fixed Mount, 5/8-24, Shoulder
DA413	P-Series Fixed Mount, M18x1
DA450	P-Series Fixed Mount, .578-28, .45 Bore
DA414	P-Series Fixed Mount, M13.5x1LH, 9mm Bore, SIG Taper
P-SERIES PISTONS	
DA401	P-Series Piston 1/2-28, 9mm Bore
DA402	P-Series Piston M13.5x1LH, 9mm Bore
DA403	P-Series Piston 9/16-24, .40 Bore
DA404	P-Series Piston M14.5x1LH, .40 Bore
DA405	P-Series Piston .578-28, .45 Bore
DA406	P-Series Piston M16x1LH, .45 Bore
DA407	P-Series Piston M16x1RH, .45 Bore
P-SERIES ACCESSORIES	
DA444	P-Series 3 Lug
SD500	P-Series Booster Assembly
DA409	P-Series Fixed Barrel Spacer
DA013	Piston Spring for Ghost, Odessa, Mojave 9

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***

Learn more about the Nomax 33




NOMAX 33

BORE	.33 Caliber
RATING	.33 XC
DIMENSIONS	1.75"x9.6"
WEIGHT	15.4 oz
MATERIALS	6AL-4V Titanium

R-SERIES FRONT CAPS & ACCESSORIES	
KA180	Nomad E-Brake
DA208	R-Series MK2 Front Cap Tool
DA213A	Front Cap Nomax .33
DA201	Front Cap 5.56 (check barrel concentricity)
DA204	Front Cap 7.62 (check barrel concentricity)
DA205	Front Cap 6.5mm (check barrel concentricity)
DA206	Flash Hider Front Cap 5.56 (check concentricity)
DA207	Flash Hider Front Cap 7.62 (check concentricity)
DA209A	R-Series Front Cap Nomad .30 Cal Black
DA209B	R-Series Front Cap Nomad .30 Cal Grey
DA210A	R-Series Front Cap Nomad LTI 30 Cal Black
RXD206	RXD R-Series Front Cap 5.56
RXD207	RXD R-Series Front Cap 7.62
XEMAX™ ADAPTER & MOUNTS	
DA456HT	Xemax™ Adapter HUB Taper
DA150	Xemax™ Muzzle Brake 5/8-24, .338LM, .338 Bore
DA151	Xemax™ Muzzle Brake 3/4-24, .338LM, .338 Bore
DA152	Xemax™ Muzzle Brake 11/16-24, .45 Cal, .458 Bore
DA153	Xemax™ Muzzle Brake M18x1, .338LM, .338 Bore
DA154	Xemax™ Muzzle Brake M18x1.5 AI, .338LM, .338 Bore
DA155	Xemax™ Muzzle Brake 3/4-20, .338LM, .338 Bore
DIRECT THREAD MOUNTS (HUB)	
DTB323HT	HUB Taper Direct Thread Brake 1/2-28
DTB324HT	HUB Taper Direct Thread Brake 5/8-24
DTB331HT	HUB Taper Direct Thread Brake 11/16-24
LT301	1/2-28
LT302A	5/8-24
LT302B	5/8-24, Stainless
LT303	3/4-24
LT304	9/16-24RH
LT305	.578-28
LT306	3/4-20
LT311	M18x1
LT312	M18x1.5 AI
LT313	11/16-24
LT315	5/8-24, SIG TAPER
XENO™ ADAPTERS & MOUNTS	
DA455	Xeno™ Adapter - HUB (R-Series)
DA455HT	Xeno™ Adapter HUB Taper
DA121GOV	Xeno™ GOV A1 FH 1/2-28 .30 Bore, 17-4
DA122GOV	Xeno™ GOV A1 FH 5/8-24 .30 Bore, 17-4
DA129GOV	Xeno™ GOV 3-Prong FH, 1/2-28 6mm Bore, 17-4
DA130GOV	Xeno™ GOV 3-Prong FH, 5/8-24 9mm Bore, 17-4
DA121	Xeno™ A1 Flash Hider 1/2-28, .30 Bore
DA122	Xeno™ A1 Flash Hider 5/8-24, .30 Bore
DA123	Xeno™ A1 Omni Brake 1/2-28, .30 Bore
DA124	Xeno™ A1 Omni Brake 5/8-24, .30 Bore
DA139	Xeno™ A1 Omni Brake M14x1RH, .30 Bore
DA870	Xeno™ Radial Brake, 5/8-24, .30 Bore
DA129	Xeno™ 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno™ 3-Prong, 5/8-24, 9mm Bore
RXD684	RXD Xeno™ BirdCage FH 1/2-28
RXD684S	RXD Xeno™ BirdCage FH 1/2-28 Stainless
RXD685	RXD Xeno™ BirdCage FH 5/8-24
RXD685S	RXD Xeno™ BirdCage FH 5/8-24 Stainless
RXD690	RXD Xeno™ BirdCage FH 9/16-24 RH
RXD690S	RXD Xeno™ BirdCage FH 9/16-24 RH Stainless
RXD687	RXD Xeno™ P-Series BirdCage FH 1/2-28
RXD688	RXD Xeno™ P-Series BirdCage FH 5/8-24
RXD689	RXD Xeno™ P-Series BirdCage FH .578-28
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ P-Series Wee Brake, M13.5x1LH, 9mm Bore
KEYMO® / KEYMICRO ADAPTERS & MOUNTS	
DA428	KeyMo® HUB Adapter (R-Series)
DA890GOVHT	KeyMo® GOV HUB Adapter (R-Series). 17-4
DA301GOV	KeyMo® GOV Flash Hider 1/2-28 6MM, 17-4
DA302GOV	KeyMo® GOV Flash Hider 5/8-24 .30 CAL, 17-4
DA101	KeyMo® Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo® Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo® Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo® Muzzle Brake M18x1, .338 Bore
DA106	KeyMo® Muzzle Brake M18x1.5, .338 Bore
DA301	KeyMo® Flash Hider 1/2-28, .22 Bore
DA302	KeyMo® Flash Hider 5/8-24, .30 Bore
DA303	KeyMo® Flash Hider M14x1LH, .30 Bore
DA304	KeyMo® Flash Hider M15x1, .30 Bore
DA307	KeyMo® FH 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo® FH 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo® FH M13x1LH Steyr Aug, .22 Bore
DA305	KeyMo® Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo® Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA324	KeyMo® Zero 11/16-24, .45 Bore
DA115GOV	KeyMicro GOV FH 1/2-28, 9mm Bore, 17-4
DA116GOV	KeyMicro GOV FH 5/8-24, 9mm Bore, 17-4
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore
DA161	KeyMo® 46 Muzzle Brake 5/8-24, .458 Bore

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***



PYRO 2.0 KIT

Includes DA428 Keymo & DA204 7.62 Front Cap

PYRO 2.0

PYRO 2.0


The Pyro 2.0 is a modular muzzle device. It quickly turns your flash hider into a muzzle brake and attaches with any of our R-Series HUB mounts and adapters. Also available is a blast shield that pushes gasses down range away from the shooting line.

PYRO 2.0


PYRO	
DA435	Pyro 2.0 Shroud Only
DA432	Pyro 2.0 Blast Shield
DA202A	Pyro 2.0 Kit - Includes DA428 Keymo & DA204 7.62 Front Cap
DA463KM	Blast Shroud w/ DA428 Keymo® Adapter
DA463MAX	Blast Shroud w/ DA456 Xemax™ Adapter
DA463S	Blast Shroud HUB
DA463XN	Blast Shroud w/ DA455 Xeno™ Adapter
DA464	Blast Shroud w/ DA429 Keymo® Adapter
DA464S	Blast Shroud for DA429 Keymo® (1 3/8-32)
DA465KL	Blast Shroud w/ DA452 KeyMicro Adapter
DA465S	Blast Shroud for DA458 Xeno™ & DA452 KeyMicro (1 1/8-28)
DA465XNL	Blast Shroud w/ DA458 Xeno™ Adapter
DA466A	P-Series Pyro 2.0 KeyMicro Kit
DA466B	P-Series Pyro 2.0 SD500 Kit
DA466C	P-Series Pyro 2.0 Xeno™ Kit
DA466S	P-Series Pyro 2.0 Shroud
DA471	Wolverine Blast Shroud Kit w/ 14mm RH Thread
R-SERIES FRONT CAPS & ACCESSORIES	
DA208	R-Series MK2 Front Cap Tool
DA211	R-Series Primal Front Cap .45
DA201	Front Cap 5.56
DA204	Front Cap 7.62
DA205	Front Cap 6.5mm
DA206	Flash Hider Front Cap 5.56
DA207	Flash Hider Front Cap 7.62
DA209A	R-Series Front Cap Nomad .30 Cal Black
DA210A	R-Series Front Cap Nomad LTI 30 Cal Black
DA212	R-Series Wolverine Front Cap 7.62
DA213A	R-Series Nomax 33™ Front Cap Black
RXD206	RXD R-Series Front Cap 5.56
RXD207	RXD R-Series Front Cap 7.62
RXD683	RXD R-Series Front Cap 9MM-10MM
KEYMO® / KEYMICRO ADAPTERS & MOUNTS	
DA890GOVHT	KeyMo® GOV HUB Adapter (R-Series). 17-4
DA428	KeyMo® HUB Adapter (R-Series)
DA301	KeyMo® Flash Hider 1/2-28, .22 Bore
DA302	KeyMo® Flash Hider 5/8-24, .30 Bore
DA301GOV	KeyMo® GOV Flash Hider 1/2-28 6MM, 17-4
DA302GOV	KeyMo® GOV Flash Hider 5/8-24 .30 CAL, 17-4
DA101	KeyMo® Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo® Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo® Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo® Muzzle Brake M18x1, .338 Bore
DA106	KeyMo® Muzzle Brake M18x1.5, .338 Bore
DA301	KeyMo® Flash Hider 1/2-28, .22 Bore
DA302	KeyMo® Flash Hider 5/8-24, .30 Bore
DA303	KeyMo® Flash Hider M14x1LH, .30 Bore
DA304	KeyMo® Flash Hider M15x1, .30 Bore
DA307	KeyMo® FH 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo® FH 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo® FH M13x1LH Steyr Aug, .22 Bore
DA305	KeyMo® FH SCAR 17/ Muz. Shoulder 5/8-24, .30 Bore
DA306	KeyMo® FH SCAR 16/ Muz. Shoulder 1/2-28, .22 Bore
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA322	KeyMo® Zero .578-28, .45 Bore
DA323	KeyMo® Zero 9/16-24RH, 9mm Bore
DA324	KeyMo® Zero 11/16-24, .45 Bore
DA160	KeyMo® 46 Muzzle Brake .578-28, .458 Bore
DA161	KeyMo® 46 Muzzle Brake 5/8-24, .458 Bore
DA162	KeyMo® 46 Muzzle Brake 5/8-32, .458 Bore
DA163	KeyMo® 46 Muzzle Brake 11/16-24, .458 Bore
DA115GOV	KeyMicro GOV FH 1/2-28, 9mm Bore, 17-4
DA116GOV	KeyMicro GOV FH 5/8-24, 9mm Bore, 17-4
DA451	KeyMicro Adapter for P-Series
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA117	KeyMicro FH M13.5x1LH, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore
XENO™ ADAPTERS & MOUNTS	
DA455	Xeno™ Adapter - HUB (R-Series)
DA455HT	Xeno™ Adapter HUB Taper
DA457	Xeno™ Adapter (P-Series)
DA121GOV	Xeno™ GOV A1 FH 1/2-28 .30 Bore, 17-4
DA122GOV	Xeno™ GOV A1 FH 5/8-24 .30 Bore, 17-4
DA121	Xeno™ A1 Flash Hider 1/2-28, .30 Bore
DA122	Xeno™ A1 Flash Hider 5/8-24, .30 Bore
DA123	Xeno™ A1 Omni Brake 1/2-28, .30 Bore
DA124	Xeno™ A1 Omni Brake 5/8-24, .30 Bore
DA139	Xeno™ A1 Omni Brake M14x1RH, .30 Bore
DA870	Xeno™ Radial Brake, 5/8-24, .30 Bore
DA129	Xeno™ 3-Prong, 1/2-28, 6mm Bore
DA130	Xeno™ 3-Prong, 5/8-24, 9mm Bore
DA129GOV	Xeno™ GOV 3-Prong FH, 1/2-28 6mm Bore, 17-4
DA130GOV	Xeno™ GOV 3-Prong FH, 5/8-24 9mm Bore, 17-4
DA127	Xeno™ Xero, 1/2-28, 9mm Bore
DA128	Xeno™ Xero, 5/8-24, .45 Bore
DA143	Xeno™ Xero, 9/16-24 RH, 9mm Bore
DA144	Xeno™ Xero, .578-28, .45 Bore
DA146	Xeno™ Xero, 5/8-32, .45 Bore
DA147	Xeno™ Xero, 11/16-24, .45 Bore
DA125	Xeno™ P-Series Wee Brake, 1/2-28, 9mm Bore
DA126	Xeno™ P-Series Wee Brake, 5/8-24, 9mm Bore
DA135	Xeno™ Pistol Wee Brake, M13.5x1LH, 9mm Bore
RXD684	RXD Xeno™ BirdCage FH 1/2-28
RXD684S	RXD Xeno™ BirdCage FH 1/2-28 Stainless
RXD685	RXD Xeno™ BirdCage FH 5/8-24
RXD685S	RXD Xeno™ BirdCage FH 5/8-24 Stainless
RXD690	RXD Xeno™ BirdCage FH 9/16-24 RH
RXD690S	RXD Xeno™ BirdCage FH 9/16-24 RH Stainless
RXD687	RXD Xeno™ P-Series BirdCage FH 1/2-28
RXD688	RXD Xeno™ P-Series BirdCage FH 5/8-24
RXD689	RXD Xeno™ P-Series BirdCage FH .578-28
XEMAX™ ADAPTER & MOUNTS	
DA456HT	Xemax™ Adapter HUB Taper
DA150	Xemax™ Muzzle Brake 5/8-24, .338LM, .338 Bore
DA151	Xemax™ Muzzle Brake 3/4-24, .338LM, .338 Bore
DA152	Xemax™ Muzzle Brake 11/16-24, .45 Cal, .458 Bore
DA153	Xemax™ Muzzle Brake M18x1, .338LM, .338 Bore
DA154	Xemax™ Muzzle Brake M18x1.5 Al, .338LM, .338 Bore
DA155	Xemax™ Muzzle Brake 3/4-20, .338LM, .338 Bore
P-SERIES PISTONS	
DA401	P-Series Piston 1/2-28, 9mm Bore
DA402	P-Series Piston M13.5x1LH, 9mm Bore
DA403	P-Series Piston 9/16-24, .40 Bore
DA404	P-Series Piston M14.5x1LH, .40 Bore
DA405	P-Series Piston .578-28, .45 Bore
DA406	P-Series Piston M16x1LH, .45 Bore
DA407	P-Series Piston M16x1RH, .45 Bore
P-SERIES ACCESSORIES	
SD502	HUB to P-Series Adapter
DA444	P-Series 3 Lug

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***


⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***



SIG Mosquito Adapter




GSG Adapter



FN 5.7 Adapter



P22 Adapter




1/2-28 Rimfire Thread Protector



1/2-28 Thread Spacer


MASK




XRF Rimfire Muzzle Brakes

RXD 22Ti


Booster Shims



Fixed Mounts




Odessa Piston



Piston Spring


ODESSA




Mojave Booster Assembly



Mojave Front Caps




Mojave Fixed Barrel Spacer




Mojave Pistons



Piston Spring




P-Series 3-Lug




P-Series Fixed Mounts

P-SERIES MOUNTS & ACCESSORIES




HUB TO P-SERIES ADAPTER




P-Series KeyMicro Adapter




P-Series Xeno™ HUB Adapter



P-Series Barrel Spacer




P-Series Pistons




P-Series Booster Assembly

P-SERIES MOUNTS & ACCESSORIES




Flat Front Cap




Wipe Front Cap


GHOST FRONT CAPS




KeyMicro GOV Flash Hiders



KeyMicro Flash Hiders




KeyMicro Brakes




P-Series KeyMicro Adapter


KEYMICRO ADAPTER & MOUNTS




Nomad E-Brake



Sandman E-Brake




Wipe Front Cap



Flash Hider Front Caps



Front Caps





RXD Front Caps

R-SERIES FRONT CAPS & ACCESSORIES

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***


XENO™ ADAPTERS


Xeno™ Adapter HUB



Xeno™ Adapter HUB Taper



P-Series Xeno™ HUB Adapter


XENO™ MOUNTS


RXD Xeno™ P-Series Flash Hiders



Xeno™ Xero



Xeno™ Wee Brake


RXD Xeno™ BirdCage Flash Hiders


Xeno™ 3-Prong



Xeno™ Radial Brake



Xeno™ A1 Omni Brake


Xeno™ Gov A1 & 3-Prong Flash Hiders



Xeno™ A1 Flash Hider


XEMAX ADAPTER & MOUNTS



Xemax Mounts


Xemax HUB Adapter


WOLVERINE MOUNTS & ADAPTERS



Collars


Thread Inserts



HUB Adapter

DIRECT THREAD MOUNTS (HUB)



HUB


HUB Taper

DIRECT THREAD BRAKE MOUNTS





KEYMO® ADAPTERS



KeyMo® Gov HUB Adapter



KeyMo® HUB Adapter


KEYMO® MOUNTS


KeyMo® Gov Flash Hiders



KeyMo® 46 Muzzle Brakes



KeyMo® Zero


KeyMo® Flash Hiders



KeyMo® Muzzle Brakes

PYRO 2.0 SHROUD AND BLAST SHIELD


Pyro 2.0 Shroud


Pyro 2.0 Blast Shield

**These products are not updated with our latest accessories*



GHOST 45

BORE	.45
RATING	45 Caliber, 9mm, 300BLK (subsonic)
DIMENSIONS	8.75" x 1.375" (Long) / 6.2" x 1.375" (Short)
WEIGHT	12 oz (Long) / 9.6 oz (Short)
MATERIALS	Stainless Steel, Titanium, Aluminum

GHOST FRONT CAPS & ACCESSORIES	
DM3000	P-Series Front Cap Tool
DA415	Ghost Front Cap 9mm
DA416	Ghost Wipe Long Front Cap 45 ACP
DA417	Ghost Front Cap 45 STD
KEYMICRO ADAPTER & MOUNTS	
DA451	KeyMicro Adapter for P-Series (Ghost-M / Wolf 9SD / Wolfman)
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA322	KeyMo® Zero .578-28, .45 Bore
DA323	KeyMo® Zero 9/16-24RH, 9mm Bore
DA324	KeyMo® Zero 11/16-24, .45 Bore
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA117	KeyMicro FH M13.5x1LH, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore
XENO™ ADAPTER & MOUNTS	
DA457	Xeno™ Adapter (P-Series)
DA128	Xeno™ Xero, 5/8-24, .45 Bore
DA143	Xeno™ Xero, 9/16-24 RH, 9mm Bore
DA144	Xeno™ Xero, .578-28, .45 Bore
DA146	Xeno™ Xero, 5/8-32, .45 Bore
DA147	Xeno™ Xero, 11/16-24, .45 Bore

P-SERIES FIXED MOUNTS	
DA410	P-Series DT Adapter, 1/2-28, Shoulder
DA411	P-Series DT Adapter, 1/2-36, Shoulder
DA412	P-Series DT Adapter, 5/8-24, Shoulder
DA413	P-Series DT Adapter, M18x1
DA414	P-Series DT Adapter, M13.5x1LH, 9mm Bore, SIG Taper
DA450	P-Series DT Adapter, .578-28, .45 Bore
P-SERIES PISTONS	
DA401	P-Series Piston 1/2-28, 9mm Bore
DA402	P-Series Piston M13.5x1LH, 9mm Bore
DA403	P-Series Piston 9/16-24, .40 Bore
DA404	P-Series Piston M14.5x1LH, .40 Bore
DA405	P-Series Piston .578-28, .45 Bore
DA406	P-Series Piston M16x1LH, .45 Bore
DA407	P-Series Piston M16x1RH, .45 Bore
P-SERIES ACCESSORIES	
DA444	P-Series 3 Lug
SD500	P-Series Booster Assembly
DA409	P-Series Fixed Barrel Spacer
DA013	Piston Spring for Ghost, Odessa, Mojave 9

Learn more about the Ghost 45 ➡


⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***

DEAD AIR SILENCERS: ACCESSORY FITMENT GUIDE // LEGACY PRODUCT

**These products are not updated with our latest accessories*

SANDMAN

BORE	.30 Caliber
RATING	Up to .300 RUM
DIMENSIONS	**SANDMAN K**. . . .5.4" x 1.5"
	SANDMAN S. . . .6.8" x 1.5"
	SANDMAN L. . . .8.9" x 1.5"
WEIGHT	**SANDMAN K**. . . .12.8 oz
	SANDMAN S. . . .17.7 oz
	SANDMAN L. . . .21.8 oz
MATERIALS	Stainless Steel, Cobalt 6



KEYMO® ADAPTER & MOUNTS	
DA101	KeyMo® Muzzle Brake 1/2-28, .30 Bore
DA102	KeyMo® Muzzle Brake 5/8-24, .30 Bore
DA103	KeyMo® Muzzle Brake 3/4-24, .338 Bore
DA104	KeyMo® Muzzle Brake M18x1, .338 Bore
DA106	KeyMo® Muzzle Brake M18x1.5, .338 Bore
DA160	KeyMo® 46 Muzzle Brake .578-28, .458 Bore
DA161	KeyMo® 46 Muzzle Brake 5/8-24, .458 Bore
DA162	KeyMo® 46 Muzzle Brake 5/8-32, .458 Bore
DA163	KeyMo® 46 Muzzle Brake 11/16-24, .458 Bore
DA301	KeyMo® Flash Hider 1/2-28, .22 Bore
DA302	KeyMo® Flash Hider 5/8-24, .30 Bore
DA303	KeyMo® Flash Hider M14x1LH, .30 Bore
DA304	KeyMo® Flash Hider M15x1, .30 Bore
DA305	KeyMo® Flash Hider SCAR 17/ Muzzle Shoulder 5/8-24, .30 Bore
DA306	KeyMo® Flash Hider SCAR 16/ Muzzle Shoulder 1/2-28, .22 Bore
DA307	KeyMo® Flash Hider 9/16-24LH / Metric FAL, .30 Bore
DA308	KeyMo® Flash Hider 9/16-24RH / inch FAL, .30 Bore
DA311	KeyMo® Flash Hider M13x1LH Steyr Aug, .22 Bore
DA109	KeyMicro Brake 1/2-28, 9mm Bore
DA110	KeyMicro Brake 1/2-36, 9mm Bore
DA111	KeyMicro Brake 5/8-24, 9mm Bore
DA115	KeyMicro FH 1/2-28, 9mm Bore
DA116	KeyMicro FH 5/8-24, 9mm Bore
DA117	KeyMicro FH M13.5x1LH, 9mm Bore
DA119	KeyMicro FH 1/2-28 SIG TAPER, .22 Bore
DA120	KeyMicro FH 5/8-24 SIG TAPER, .30 Bore
DA320	KeyMo® Zero 1/2-28, 9mm Bore
DA321	KeyMo® Zero 5/8-24, .45 Bore
DA322	KeyMo® Zero .578-28, .45 Bore
DA323	KeyMo® Zero 9/16-24RH, 9mm Bore
DA324	KeyMo® Zero 11/16-24, .45 Bore
R-SERIES FRONT CAPS & ACCESSORIES	
DA208	R-Series MK2 Front Cap Tool
DA442	Sandman E-Brake, .30 Bore
DA201	Front Cap 5.56
DA204	Front Cap 7.62
DA205	Front Cap 6.5mm
DA206	Flash Hider Front Cap 5.56
DA207	Flash Hider Front Cap 7.62

Sandman K ➡

Sandman S ➡

Sandman L ➡

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***

**These products are not updated with our latest accessories*



ODESSA 9

BORE	9mm
RATING	9mm
DIMENSIONS	8.25" (w/piston) / 7.75" (w/out) x 1.1"
WEIGHT	10.1 oz (w/piston & spring) / 7.4 oz (w/out)
MATERIALS	17-4 Stainless Steel

ODESSA FIXED MOUNTS	
DD111	Odessa Fixed Mount 1/2-28, 9mm Bore
DD112	Odessa Fixed Mount M13.5x1LH, 9mm Bore
ODESSA PISTONS	
DD440	Odessa Piston 1/2-28, 9mm Bore
DD441	Odessa Piston M13.5x1LH, 9mm Bore
DA013	Piston Spring for Ghost, Odessa, Mojave 9
ODESSA ACCESSORIES	
DA015	Odessa Booster Shims
DM3000	P-Series Front Cap Tool

Learn more about the Odessa 9 ➔

⚠ ***ALWAYS ENSURE YOUR SUPPRESSOR ADAPTER AND MOUNT ARE CALIBER COMPATIBLE.***



DEAD AIR
silencers

PROUDLY DISTRIBUTED BY:

SILENCER SHOP

HICKS INC.

ALLEN ARMS TACTICAL
SILENCER DISTRIBUTION

IRON VALLEY
SUPPLY CO. EST. 1923

AMCHAR WHOLESALE INC.

EST.
KINSEY'S
1952

BILL HICKS
& CO., LTD.

LIPSEY'S

CAMFOUR

MGE
WHOLESALE

ORION
WHOLESALE

CHATTANOOGA
SHOOTING SUPPLIES, INC.

RSR
GROUP

CWS
GUNS

Sports South LLC

CROW
SHOOTING • SUPPLY

TGD
TACTICAL GEAR DISTRIBUTORS

DAVIDSON'S

ZANDERS
AMERICA'S DISTRIBUTION COMPANY
SINCE 1962

DeadAirSilencers.com // 801-857-4232 // info@deadairsilencers.com